




100X | GLOSSY 300MM | FINISH

www.riaec.com

# THE STORY OF RIAEC TILES

Riaec Tiles has been a pioneer in the small format ceramic tile from India. Riaec Tiles was started with the purpose of developing the best collection in the small format ceramic tile for the bathroom, kitchen and other decoration based applications in the residential and commercial space.


Riaec Tiles has been providing the biggest range of subway base color tile collection as well as the ever developing range in the digital printing collection. With the use of 12 color Systerm Digital Printing machinery, we are able to produce the biggest range of colors, applications and surface possible in this formate produced in India.





# RIAES

100X | Glossy 300MM | Finish




BOAT **ALOE** 




BOAT **CARAMEL** 




BOAT **DUNE** 



BOAT **GALASSIA** 




BOAT **ICE** 



BOAT **KIWI** 



BOAT **NAVY** 























www.riaec.com







#### BOAT **ALOE**












# BOAT CARAMEL












### BOAT **DUNE**










#### BOAT GALASSIA












BOAT ICE












## BOAT **KIWI**










### BOAT **NAVY**





Size

100x300 mm

Thickness

8 mm

Pcs/Box

33 pcs.

Kgs/Box

13.200 kg.

Coverage Area

10.66 sq ft / 0.99 sq mtr



#### TECHNICAL SPECIFICATION

CHARACTERISITICS	EURO STANDARD	OUR VALUE
DIMENSION & SURFACE QUALITY		
Dimension & Surface Quality	± 0.5%	± 0.5%
Deviation in thickness	± 0.6%	± 0.6%
Straightness of sides	± 0.3%	± 0.3%
Rectangularity	± 0.5%	± 0.5%
Surface Flatness	± 0.5%	± 0.5%
Surface Quality	± Min 95%	<u>+</u> Min 95%
PHYSICAL PROPERTIES	·	
Water Absorption	> 10 %	> 10 %
Bend Strength	> 150Kg./Cm	> 150Kg./Cm
Scratch Hardness (Moh's)	Min 3	Min 3
Crazing	1 Cycle	1 Cycle
CHEMICAL PROPERTIES		
Staining Resistance	Min Class 2	Min Class 2
Household Chemical	Min Class B	Min Class B
THERMAL PROPERTIES		
Thermal Shoke	Resistant to 10 Cycle	Resistant to 10 Cycle
Thermal Expansion	Max-9E-06	Max-9E-06

#### Note:

Size/shade variation is inherent in ceramic tiles, in case of any complain its should be brought to our dealer's notice before laying the tiles

Color Shown are indicative only. Check actual tiles for exact color.

The information contained in this catalogue are accurate as possible, but cannot be contained as legally binding. Customers are advised to inspect a sample of the tiles before ordering.

The company reserved the right to change the specification without prior notice.

#### **APPLICATION**

















HOSPITAL

THEATER

HOUSE

DISCOTHEQES

AIRPORT

CAFÉ / BAR

www.riaec.com